

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1 - 10. (Cancelled)

11. (Currently Amended) A curable composition comprising a binder bearing at least one ethylenically unsaturated group, and functionalized particles which possess at least one ethylenically unsaturated group and contain radicals of the formula I,



where the particles are prepared by reacting

(a) particles of a metal oxide, metal-silicon mixed oxide, silicon dioxide, colloidal silicon dioxide, organopolysiloxane resin or combination thereof, the particles possessing functionality selected from Me-OH, Si-OH, Me-O-Me, Me-O-Si-, Si-O-Si, Me-OR¹ and Si-OR¹, and having an average diameter of less than 1000 nm,

(b) with organosilanes of the general formula II,



their hydrolysis or condensation products, or mixtures thereof, and
[[where]]

(c) and optionally water,

where

R¹ is hydrogen or a hydrocarbon radical having 1 to 6 carbon atoms, whose carbon chain is optionally interrupted by nonadjacent oxygen, sulfur or NR⁴ groups,

R² is a hydrocarbon radical having 1 to 12 carbon atoms, whose carbon chain is optionally interrupted by nonadjacent oxygen, sulfur or NR⁴ groups,

- R^3 is hydrogen or a hydrocarbon radical having 1 to 12 carbon atoms, whose carbon chain is optionally interrupted by nonadjacent oxygen, sulfur or NR^4 groups,
 R^4 is hydrogen or a hydrocarbon radical having 1 to 12 carbon atoms,
A is oxygen, sulfur, $=NR^4$ or $=N-(D-C)$,
D is a carbonyl group, or an alkylene, cycloalkylene or arylene radical having 1 to 12 carbon atoms, the carbon chain optionally interrupted by nonadjacent oxygen, sulfur or NR^4 groups,
C is an ethylenically unsaturated group,
Me is a metal atom, and
n is 0, 1 or 2.

12. (Previously Presented) The composition of claim 11, wherein the particles are selected from pyrogenic silica, colloidal silica, and silicone resins.

13. (Previously Presented) The composition of claim 11, wherein the hydrocarbon radical R^1 is a methyl, ethyl or phenyl radical.

14. (Previously Presented) The composition of claim 11, wherein at least one group $(-A-D-C)$ is a radical $OC(O)C(CH_3)=CR^3_2$, $OC(O)CH=CR^3_2$, $NHC(O)C(CH_3)=CR^3_2$, or $NHC(O)CH=CR^3_2$.

15. (Previously Presented) The composition of claim 11, wherein the ethylenically unsaturated groups in the binder are capable of free-radical, cationic or anionic polymerization.


16. (Previously Presented) The composition of claim 11, wherein the ethylenically unsaturated groups in the binder are polymerizable by actinic radiation or thermal treatment.

17. (Previously Presented) The composition of claim 11, wherein the ethylenically unsaturated groups in the binder are selected from vinyl groups, methacrylate groups, acrylate groups, acrylamide groups, and mixtures thereof.

18. (Previously Presented) The process for coating a substrate, comprising applying to a surface of said substrate a composition of claim 11, and curing said composition.

19. (New) The composition of claim 11, wherein both of R^3 are H.

20. (New) The composition of claim 11, wherein the organosilanes of the general formula (II) are organosilanes of the formula



21. (New) The composition of claim 11, wherein the organosilanes of the general formula (II) are selected from the group consisting of methacrylomethyltrimethoxysilane, methacrylomethyldimethylmethoxysilane, and mixtures thereof.